@PFDesktop\::ODMA/MHODMA/HBSR05;iManage;461575;1

DEB/KAC May 16, 2006 DOCKET NO.: 3258.1009-001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Theresa L. O'Keefe

Application No.:

10/718,495

Group Art Unit: 1644

Filed:

November 20, 2003

Examiner: Maher M. Huddad Ph.D.

Confirmation No.:

9229



USE OF HMGB FRAGMENTS AS ANTI-INFLAMMATORY AGENTS

CERTIFICATE OF MAILING OR TRANSMISSION

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, or is being facsimile transmitted to the United States Patent and Trademark Office on:

MAY 14, 2006

Signature

Date

CHRISTINE A. BUDD

Typed or printed name of person signing certificate

INFORMATION DISCLOSURE STATEMENT

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

05/19/2

01 FC:1

2006; FFAN	AEIA 00000097 10718495
.806	180.00 OP
This I	Information Disclosure Statement is submitted: under 37 CFR 1.129(a), or (First/Second submission after Final Rejection)
[]	under 37 CFR 1.97(b), or (Within any one of the following time periods: three months of filing national application (other than a CPA) or date of entry of the national stage in an international application; or before the mailing date of a first office action on the merits in a non-provisional application, including a CPA, or a Request for Continued Examination).
[X]	under 37 CFR 1.97(c) together with either:
	[] a Statement under 37 CFR 1.97(e), as checked below, or
,	[X] a \$180.00 fee under 37 CFR 1.17(p), or (After the 37 CFR 1.97(b) time period, but before final action or notice of allowance, whichever occurs first)
[]	under 37 CFR 1.97(d) together with:
-	[] a Statement under 37 CFR 1.97(e), as checked below, and
	a \$180.00 fee under 37 CFR 1.17(p), or

(Filed after final action or notice of allowance, whichever occurs first, but on or before payment of the issue fee)

[] under 37 CFR 1.97(i):

Applicant requests that the IDS and cited reference(s) be placed in the application filewrapper. (Filed after payment of issue fee)

Staten	nent Un	der 37 (CFR 1.97(e)
[]	any co	mmuni	information contained in this Information Disclosure Statement was first cited in cation from a foreign patent office in a counterpart foreign application not more nths prior to the filing of this Information Disclosure Statement; or
[]	comm knowl in the	unication information in the second in the s	formation contained in this Information Disclosure Statement was cited in a on from a foreign patent office in a counterpart foreign application, and, to the the undersigned, after making reasonable inquiry, no item of information contained ation disclosure statement was known to any individual designated in 37 CFR than three months prior to the filing of this Information Disclosure Statement.
Staten	nent Un	der 37 (CFR 1.704(d) (Patent Term Adjustment) Applies to original applications (other than design) filed on or after May 29, 2000
[]	comm was no	unication traceive	information contained in the Information Disclosure Statement was cited in a on from a foreign patent office in a counterpart application and this communication yed by any individual designated in § 1.56(c) more than thirty days prior to the aformation Disclosure Statement.
		4	
[X]	Enclos	sed here	ewith is form PTO-1449:
	[X]	Copie	s of the cited references B1-B9 and C1-C67 are enclosed.
		[X]	Copies of issued U.S. patents and published U.S. applications are not required and are not being provided.
	[]	Applic	s of the cited references are enclosed except those entered in prior application, U.S. cation No. [], to which priority under 35 U.S.C. 120 is claimed. [The earlier ation contains copies of the cited references.]
	[X]	The list	sted references (C2, C3 and C48) were cited in the enclosed International Search tin a counterpart foreign application.
	[X]	The "c 37 CF	concise explanation" requirement (non-English references) for reference B8 under R 1.98(a)(3) is satisfied by:
	٠	[]	the explanation provided on the attached sheet.
		[]	the explanation provided in the Specification.
		[]	submission of the enclosed International Search Report.
		[]	submission of the enclosed English-language version of a foreign Search Report and/or foreign Office Action.
		[X]	the enclosed English language abstract.

[]			cant requests that the following number of the stamp "Non-Published IDS Ref		
Examiner's Initials	3				
	_		U.S. Patent Application No. [], by [inventor(s)], filed [], Docket No.: []
			U.S. Patent Application No. [], by [inventor(s)], filed [], Docket No.: []
	-		U.S. Patent Application No. [], by [inventor(s)], filed [], Docket No.: []
			Examiner	Date	_
	[]	A copy of each above-cited app	olications, including the curr	rent claims, is enclosed.
·	[]	A copy of each above-cited app those entered in prior application 35 U.S.C. 120 is claimed.	olication, including the curre on, U.S. Application No. [ent claims, is enclosed, except], to which priority under
The E	xam nces	niner s wer	r is requested to return a copy of re considered with the next office	the above list of pending ap e communication.	plications indicating which
It is re	que	sted	that the information disclosed h	erein be made of record in t	his application.
Metho	od o	f pay	ment:		
[X]			ck for the fee noted above is encl panying Reply. A copy of this S		cluded in the check with the
[]		ease close	charge Deposit Account 08-038 ed.	0 in the amount of \$[]. A copy of this Statement is
[X]	Ple	ease	charge any deficiency in fees an	d credit any overpayment to	Deposit Account 08-0380.
			R	Respectfully submitted,	
			H	IAMILTON, BROOK, SMI	TH & REYNOLDS, P.C.
			В	Kristin A. Connarn Registration No.: 57,025 Telephone: (978) 341-0036 Facsimile: (978) 341-0136	5

Concord, MA 01742-9133 Dated: May 16, 2006

PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 3258.1009-001		APPLICATION NO. 10/718,495		
THE PRIMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR Theresa L. O'Keefe		FILING DATE 11/20/2003		
May 16, 2006 May 16, 2006 May 16, 2006	EXAMINER Maher M. Huddad Ph.D.	CONFI 9229	IRMATION NO.	GROUP 1644	
A TRADE					

	Harry		PATENT DOCUMENTS	
EXAM- INER INI- TIAL	REF. NO.	DOCUMENT NUMBER Number-Kind Code (if known)	ISSUE DATE / PUBLICATION DATE MM-DD-YYYY	NAME OF PATENTEE OR APPLICANT OF CITED DOCUMENT
	Al	5,594,114	01/14/1997	Goodearl, A. D. J., et al.
:	A2	6,303,321 B1	10/16/2001	Tracey, K. J. and Wang, H.
	A3	6,448,223 B1	09/10/2002	Tracey, K. J. and Wang, H.
	A4	6,468,533 B1	10/22/2002	Tracey, K. J. and Wang, H.
•	A5	2003/0060410 A1	03/27/2003	Tracey, K. J., et al.
	A6	2003/0144201 A1	07/31/2003	Tracey, K. J., et al.
	A7	2004/0005316 A1	01/08/2004	Tracey, K. J. and Yang, H.
	A8	2004/0053841 A1	03/18/2004	Tracey, K. J. and Yang, H.
	A9	6,171,779 B1	01/09/2001	Chada, K.K., et al.
	A10	6,720,472 B2	04/13/2004	Chada, K.K., et al.
	A11	2002/0009749 A1	01/24/2002	Ozaki, S., et al.
	A12	6,323,329 B1	11/27/2001	Bullerdiek, J.
	A13	US 6,677,321 B1	01/13/2004	Levin, B.
	Al4			
	A15			
	A16			
	A17			
	A18			
	A19			
	A20			
	A21			
	A22			
	A23			
	A24			
	A25			

EXAMINER	DATE CONSIDERED

PTO-1449	REPROT	UCED

INFORMATION DISCLOSURE CITATION IN AN APPLICATION

May 16, 2006

(Use several sheets if necessary)

				Sheet 2 01
			LICATION NO. 718,495	
FIRST NAMED INVENTOR Theresa L. O'Keefe			filing date 11/20/2003	
EXAMINER Maher M. Huddad Ph.D.	CON 922		RMATION NO.	GROUP 1644

	F	OREIGN PATENT D	OCUMENTS		
	DOCUMENT NUMBER Country Code-Number-Kind Code (if known)	DATE MM-DD-YYYY	NAME OF PATENTEE OR APPLICANT OF CITED DOCUMENT	TRANS YES	LATION NO
В1	WO 00/47104 A2	08/17/2000	The Picower Institute for Medical Research		
B2	WO 99/59609 A2	11/25/1999	Bartorelli, A.		
В9	WO 02/074337 A1	09/26/2002	Bianchi, M. E., et al.		
В4	WO 2004/004763 A2	01/15/2004	Bianchi, M. E., et al.	-	
В5	JP 62-166897	07/23/1987	Toyo Soda Mfg. Co., Ltd.	X	
В6	EP 1 079 849 B1	01/02/2002	Bartorelli, A.		
В7	WO 96/25493 A1	08/22/1996	Bullerdiek, J.		
B8	WO 97/23611 A2	07/03/1997	Bullerdiek, J.		X
В9	WO 99/59609 A2	11/25/1999	Bartorelli, A.		
B1 0					
B11					
B12					
B11					
B14					
B15					
B16					
B17					
B18		,			
B19					
B20					
B21					
B22					
B23					
B24					7

EXAMINER	DATE CONSIDERED

PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 3258.1009-001		PLICATION NO.	Sheet 3 c
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR Theresa L. O'Keefe		FILING DATE 11/20/2003	
May 16, 2006 (Use several sheets if necessary)	EXAMINER Maher M. Huddad Ph.D.	CONF	IRMATION NO.	GROUP 1644

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
CI	Abaza, MS. I. and Atassi, M. Z., "Effects of Amino Acid Substitutions Outside an Antigenic Site on Protein Binding to Monoclonal Antibodies of Predetermined Specificity Obtained by Peptide Immunization: Demonstration with Region 94-100 (Antigenic Site 3) of Myoglobin," <i>J. Protein Chem.</i> , 11(5):433-444 (1992).
C2	Abraham, E., et al., "Cutting Edge: HMG-1 as a Mediator of Acute Lung Inflammation," J. Immunol., 165:2950-2954 (2000).
C3	Andersson, U., et al., "High Mobility Group 1 Protein (HMG-1) Stimulates Proinflammatory Cytokine Synthesis in Human Monocytes," J. Exp. Med., 192(4):565-570 (2000).
C4	Ayer, L. M., et al., "Antibodies to HMG Proteins in Patients With Drug-Induced Autoimmunity," Arthritis Rheum., 37(1):98-103 (1994).
C5	Banks, G. C., et al., "The HMG-I(Y) A·T-hook Peptide Motif Confers DNA-binding Specificity to a Structured Chimeric Protein," J. Biol. Chem., 274(23):16536-16544 (1999).
C6	Baxevanis, A. D. and Landsman, D., "The HMG-1 Box Protein Family: Classification and Functional Relationships," <i>Nucleic Acids Res.</i> , 23(9):1604-1613 (1995).
C7	Bianchi, M. E., et al., "The DNA Binding Site of HMG1 Protein is Composed of Two Similar Segments (HMG Boxes), Both of Which Have Counterparts in Other Eukaryotic Regulatory Proteins," EMBO J., 11(3):1055-1063 (1992).
C8	Bianchi, M. E., et al., "Specific Recognition of Cruciform DNA by Nuclear Protein HMG1," Science, 243:1056-1059 (1989).
С9	Bustin, M., "Revised Nomenclature for High Mobility Group (HMG) Chromosomal Proteins," Trends Biochem. Sci., 26:152-153 (2001).
C10	Bustin, M., et al., "Antigenic Determinants of High Mobility Group Chromosomal Proteins 1 and 2," Biochem., 21:6773-6777 (1982).
C11	Bustin, M., et al., "Immunological Relatedness of High Mobility Group Chromosomal Proteins from Calf Thymus," J. Biol. Chem., 253(5):1694-1699 (1978).

EXAMINER	DATE CONSIDERED
li .	

PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. APPLICATION NO. 3258.1009-001 10/718,495			
INFORMATION DISCLOSURE CITATION IN AN APPLICATION			FILING DATE 11/20/2003	
May 16, 2006 (Use several sheets if necessary)	EXAMINER Maher M. Huddad Ph.D.	CONFI 9229	RMATION NO.	GROUP 1644

 ,	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
C12	Chou, D. K. H., et al., "Identity of Nuclear High-Mobility-Group Protein, HMG-1, and Sulfoglucuronyl Carbohydrate-Binding Protein, SBP-1, in Brain," J. Neurochem., 77:120-131 (2001).
C13	Colman, P. M., "Effects of Amino Acid Sequence Changes on Antibody-Antigen Interactions," Res. Immunol., 145(1):33-36 (1994).
C19	Czura, C., et al., "Dual Roles for HMGB1: DNA Binding and Cytokine," J. Endotoxin Res., 7(4):315-321 (2001).
C15	Daston, M. M. and Ratner, N., "Expression of P30, a Protein with Adhesive Properties in Schwann Cells and Neurons of the Developing and Regenerating Peripheral Nerve," <i>J. Cell Biol.</i> 112(6):1229-1239 (1991).
C16	Degryse, B., et al., "The High Mobility Group (HMG) Boxes of the Nuclear Protein HMG1 Induce Chemotaxis and Cytoskeleton Reorganization in Rat Smooth Muscle Cells," J. Cell Biol., 152(6):1197-1206 (2001).
C17	Falciola, L., et al., "High Mobility Group 1 Protein is Not Stably Associated with the Chromosomes of Somatic Cells," J. Cell. Biol., 137(1):19-26 (1997).
C18	Freeman, B. D., et al., "The Role of Inflammation in Sepsis and Septic Shock: A Meta-Analysis of Both Clinical and Preclinical Trials of Anti-Inflammatory Therapies," in <i>Inflammation: Basic Principals and Clinical Correlates</i> , John I. Gallin and Ralph Snyderman eds. (Lippincott, Williams & Wilkins, Philadelphia), pp 965-975 (1999).
C19	Imamura, T., et al., "Interaction with p53 Enhances Binding of Cisplatin-Modified DNA by High Mobility Group 1 Protein," J. Biol. Chem., 276(10):7534-7540 (2001).
C20	Ise, T., et al., "Transcription Factor Y-Box Binding Protein 1 Binds Preferentially to Cisplatin-Modified DNA and Interacts With Proliferating Cell Nuclear Antigen," Cancer Res., 59:342-346 (1999).
C21	Johns, E. W., et al., "History, Definitions and Problems," in <i>The HMG Chromosomal Proteins</i> , Johns, E.W., ed. (London: Academic Press), pp. 1-7 (1982).

DATE CONSIDERED	
	DATE CONSIDERED

PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 3258.1009-001		LICATION NO. 718,495	
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR Theresa L. O'Keefe		FILING DATE 11/20/2003	- 40
May 16, 2006 (Use several sheets if necessary)	EXAMINER Maher M. Huddad Ph.D.	CONFI 9229	IRMATION NO.	GROUP 1644

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
	C22	Jung, F., et al., "Antibodies Against a Peptide Sequence Located in the Linker Region of the HMG-1/2 Box Domains in Sera From Patients With Juvenile Rheumatoid Arthritis," Arthritis Rheum., 40(10):1803-1809 (1997).
:	C23	Landsman, D. and Bustin, M., "A Signature for the HMG-1 Box DNA-Binding Proteins," <i>BioEssays</i> , 15(8):539-546 (1993).
	C24	Lederman, S., et al., "A Single Amino Acid Substitution in a Common African Allele of the CD4 Molecule Ablates Binding of the Monoclonal Antibody OKT4," Mol. Immunol., 28(11):1171-1181 (1991).
	C25	Ma, W., et al., "Detection of Anti-neutrophil Cytoplasmic Antibodies in MRL/Mp-lpr/lpr Mice and Analysis of Their Target Antigens," Autoimmunity, 32(4):281-291 (2000).
	C26	Melloni, E., et al., "Identity in Molecular Structure Between 'Differentiation Enhancing Factor' of Murine Erithroleukemia Cells and the 30 kD Heparin-Binding Protein of Developing Rat Brain," Biochem. Biophys. Res. Commun., 210(1):82-89 (1995).
	C27	Melloni, E., et al., "Extracellular Release of the 'Differentiation Enhancing Factor', a HMG1 Protein Type, is an Early Step in Murine Erythroleukemia Cell Differentiation," FEBS Lett., 368:466-470 (1995).
	C28	Merenmies, J., et al., "30-kDa Heparin-Binding Protein of Brain (Amphoterin) Involved in Neurite Outgrowth," J. Biol. Chem., 266(25):16722-16729 (1991).
	C29	Milev, P., et al., "High Affinity Binding and Overlapping Localization of Neurocan and Phosphacan/Protein-Tyrosine Phosphatase - ζ/β with Tenascin-R, Amphoterin, and the Heparin-Binding Growth-Associated Molecule," J. Biol. Chem. 273(12):6998-7005 (1998).
	C30	Mohan, P. S., et al., "Sulfoglycolipids Bind to Adhesive Protein Amphoterin (p30) in the Nervous System," Biochem. Biophys. Res. Commun., 182(2):689-696 (1992).
	C31	Parkkinen, J. and Rauvala, H., "Interactions of Plasminogen and Tissue Plasminogen Activator (t-PA) with Amphoterin," <i>J. Biol. Chem.</i> , 266(25):16730-16735 (1991).
	C32	Parkkinen, J., et al., "Amphoterin, the 30-kDa Protein in a Family of HMG1-type Polypeptides," J. Biol. Chem., 268(26):19726-19738 (1993).

EXAMINER	DATE CONSIDERED
·	

PTO-1449 REPRODUCED			APPLICATION NO. 10/718,495		
INFORMATION DISCLOSURE CITATION IN AN APPLICATION			FILING DATE 11/20/2003		
May 16, 2006	EXAMINER		RMATION NO.	GROUP	
(Use several sheets if necessary)	Maher M. Huddad Ph.D.	9229		1644	

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
C33	Passalacqua, M., et al., "Stimulated Astrocytes Release High-Mobility Group 1 Protein, an Inducer of Lan-5 Neuroblastoma Cell Differentiation," Neuroscience, 82(4):1021-1028 (1998).
C34	Rauvala, H. and Pihlaskari, R., "Isolation and Some Characteristics of an Adhesive Factor of Brain That Enhances Neurite Outgrowth in Central Neurons," <i>J. Biol. Chem.</i> , 262(34):16625-16635 (1987).
. C40	Rauvala, H., et al., "The Adhesive and Neurite-Promoting Molecule p30: Analysis of the Amino-Terminal Sequence and Production of Antipeptide Antibodies That Detect p30 at the Surface of Neuroblastoma Cells and of Brain Neurons," J. Cell Biol., 107(6):2293-2305 (1988).
C36	Romani, M., et al., "Serological Analysis of Species Specificity in the High Mobility Group Chromosomal Proteins," J. Biol. Chem., 254(8):2918-2922 (1979).
C37	Salmivirta, M., et al., "Neurite Growth-Promoting Protein (Amphoterin, p30) Binds Syndecan," Exp. Cell Res., 200:444-451 (1992).
C38	Scaffidi, P., et al., "Release of Chromatin Protein HMGB1 by Necrotic Cells Triggers Inflammation," <i>Nature</i> , 418:191-195 (2002).
C39	Sobajima, J., et al., "Prevalence and Characterization of Perinuclear Anti-Neutrophil Cytoplasmic Antibodies (P-ANCA) Directed Against HMG1 and HMG2 in Ulcerative Colitis (UC)," Clin. Exp. Immunol., 111:402-407 (1998).
C40	Sobajima, J., et al., "Anti-Neutrophil Cytoplasmic Antibodies (ANCA) in Ulcerative Colitis: Anti-Cathepsin G and a Novel Antibody Correlate With a Refractory Type," Clin. Exp. Immunol., 105:120-124 (1996).
C41	Sobajima, J., et al., "Novel Autoantigens of Perinuclear Anti-Neutrophil Cytoplasmic Antibodies (P-ANCA) in Ulcerative Colitis: Non-Histone Chromosomal Proteins, HMG1 and HMG2," Clin. Exp. Immunol., 107:135-140 (1997).
C42	Sobajima, J., et al., "High Mobility Group (HMG) Non-Histone Chromosomal Proteins HMG1 and HMG2 are Significant Target Antigens of Perinuclear Anti-Neutrophil Cytoplasmic Antibodies in Autoimmune Hepatitis," Gut, 44:867-873 (1999).

EXAMINER .	DATE CONSIDERED

PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. APPLICATION NO. 3258.1009-001 10/718,495			
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR FILING DATE Theresa L. O'Keefe 11/20/2003			
May 16, 2006 (Use several sheets if necessary)	EXAMINER Maher M. Huddad Ph.D.	CONF	RMATION NO.	GROUP 1644

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)	
C43	Sparatore, B. et al., "Extracellular High-Mobility Group 1 Protein is Essential for Murine Erythroleukaemia Cell Differentiation," Biochem. J., 320:253-256 (1996).	
C44	Suda, T., et al., "A Novel Activity of HMG Domains: Promotion of the Triple-Stranded Complex Formation Between DNA Containing (GGA/TCC) ₁₁ and d(GGA) ₁₁ Oligonucleotides," <i>Nucleic Acids Res.</i> , 24(23):4733-4740 (1996).	
. C45	Tsuneoka, M., et al., "Monoclonal Antibody Against Non-Histone Chromosomal Protein High Mobility Group 1 Co-Migrates With High Mobility Group 1 Into the Nucleus," J. Biol. Chem., 261(4):1829-1834 (1986).	
C46	Uesugi, H., et al., "Prevalence and Characterization of Novel pANCA, Antibodies to the High Mobility Group Non-Histone Chromosomal Proteins HMG1 and HMG2, in Systemic Rheumatic Diseases," J. Rheumatol., 25(4):703-709 (1998).	
C47	Vanderbilt, J. N. and Anderson, J. N., "Monoclonal Antibodies as Probes for the Complexity, Phylogeny, and Chromatin Distribution of High Mobility Group Chromosomal Proteins 1 and 2," <i>J. Biol. Chem.</i> , 260(16):9336-9345 (1985).	
C48	Wang, H., et al., "HMG-1 as a Late Mediator of Endotoxin Lethality in Mice," Science, 285:248-251 (1999).	
C49	Wang, H., et al., "Proinflammatory Cytokines (Tumor Necrosis Factor and Interleukin 1) Stimulate Release of High Mobility Group Protein-1 by Pituicytes," Surgery, 126(2):389-392 (1999).	
C50	Wen, L., et al., "A Human Placental cDNA Clone that Encodes Nonhistone Chromosomal Protein HMG-1," Nucleic Acids Res., 17(3):1197-1213 (1989).	
C51	Yamada, S., et al., "High Mobility Group Protein 1 (HMGB1) Quantified by ELISA with a Monoclonal Antibody That Does Not Cross-React with HMGB2," Clin. Chem., 49(9):1535-1537 (2003).	
C52	Zhang, M. and Tracey, K. J., "Tumor Necrosis Factor," in <i>The Cytokine Handbook</i> , 3 rd Ed., (Academic Press Limited), pp. 517-547 (1998).	

EXAMINER	DATE CONSIDERED	

PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 3258.1009-001	APPLICATION NO. 10/718,495		
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR Theresa L. O'Keefe FILING DATE 11/20/2003			
May 16, 2006 (Use several sheets if necessary)	EXAMINER Maher M. Huddad Ph.D.	CONFI 9229	RMATION NO.	GROUP 1644

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
C53	GenBank Accession No. AC010149, "Homo sapiens BAC clone RP11-395A23 from 2, complete sequence," (2001) [online] [retrieved on 11/7/2002]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>
C5\$	GenBank Accession No. AF165167, "Homo sapiens high mobility group 1-like protein L8 (HMG1L8) retropseudogene, complete sequence," (2001) [online] [retrieved on 11/7/2002]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>
. C55	GenBank Accession No. AF076674, "Homo sapiens high mobility group 1-like protein L1 (HMG1L1) retropseudogene sequence," (1999) [online] [retrieved on 11/7/2002]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>
C56	GenBank Accession No. AF076676, "Homo sapiens high mobility group 1-like protein L4 (HMG1L4) retropseudogene sequence," (1999) [online] [retrieved on 11/7/2002]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>
C57	GenBank Accession No. NG_000897, "Homo sapiens high-mobility group (nonhistone chromosomal) protein 1-like 10 (HMG1L10) pseudogene on chromosome 22," (2002) [online] [retrieved on 11/7/2002]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>
C58	GenBank Accession No. U51677, "Human non-histone chromatin protein HMG1 (HMG1) gene, complete cds.," (1996) [online] [retrieved on 11/12/2004]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>
C59	GenBank Accession No. XM_066789, "Homo sapiens similar to high mobility group 1 (LOC139603), mRNA," (2002) [online] [retrieved on 11/7/2002]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>
C≨6	GenBank Accession No. AF165168, "Homo sapiens high mobility group 1-like protein L9 (HMG1L9) retropseudogene sequence, complete sequence," (2001) [online] [retrieved on 11/7/2002]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>
C61	GenBank Accession No. XM_063129, "Homo sapiens similar to high mobility group 1 (LOC122441), mRNA," (2002) [online] [retrieved on 11/12/2004]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>

II EXA	AMINER	DATE CONSIDERED
il .		

PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 3258.1009-001	APPLICATION NO. 10/718,495		
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR Theresa L. O'Keefe		FILING DATE 11/20/2003	
May 16, 2006 (Use several sheets if necessary)	EXAMINER Maher M. Huddad Ph.D.	CONFIRMATION NO. 9229		GROUP 1644

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
C62	"High Mobility Group, (HMG) Chromosomal Proteins Nomenclature Home Page" [online] [retrieved on March 9, 2006]. Retrieved from the Internet: <url:http: genefamilies="" hmgfamily.shtml="" mgihome="" nomen="" www.informatics.jax.org="">.</url:http:>
C63	Reeves, R. and Nissen, M.S., "The A•T-DNA-binding Domain of Mammalian High Mobility Group I Chromosomal Proteins," <i>J. Biol. Chem.</i> , 265(15):8573-8582 (1990).
C64	Taguchi, A., et al., "Blockade of RAGE-amphoterin Signalling Suppresses Tumour Growth and Metastases," <i>Nature</i> , 405:354-360 (2000).
C65	Taudte, S., et al., "Interactions Between HMG Boxes," Protein Eng., 14(12):1015-1023 (2001).
Ç66	SWISS-PROT Accession No. P09429, "High Mobility Group Protein 1 (HMG-1) (High Mobility Group Protein B1)," (2006) [online] [retrieved on 03/09/2006]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>
C67	Yang, H., et al., "HMG-1 Rediscovered as a Cytokine," Shock, 15(4):247-253, (2001).